

FICHE TECHNIQUE

TECHNICAL SHEET



LED ROSE POWER

Nous garantissons que le moulade des luminaires LED ROSE est exclusivement composé d'aluminium 100% recyclé. Environ 600 canettes de soda ont été recyclées pour produire chacun des Led Rose Power !

CARACTÉRISTIQUES TECHNIQUES

CONCEPTION	Fonte d'aluminium
FINITION	RAL 7035 / Gris sablé / RAL 9005
PROTECTION	IP66
ISOLATION	Classe 1 ou 2
FIXATION	Montage latéral ou sur poteau supérieur

DIMENSIONS, POIDS, PUISSANCE

DIMENSIONS	800 x 357 x 135 mm
POIDS	11 - 12 kg
NOMBRE DE LED	24 - 36
PUISSANCE	104 - 321 W

We guarantee that the die casting of LED ROSE lighting fittings is exclusively made of 100% recycled aluminium. About 600 cans of soda were recycled to produce each LED ROSE Power

TECHNICAL CHARACTERISTICS

CONCEPTION	Aluminium high pressure
FINISH	RAL 7035 / Gun Grey / RAL 9005
PROTECTION	IP66
INSULATION	Class 1 or 2
FIXING	Top pole or side bracket

SIZE, WEIGHT, WATTAGE

SIZE	800 x 357 x 135 mm
WEIGHT	11 - 12 kg
NUMBER OF LED	24 - 36
POWER	104 - 321 W



FONTES DE PARIS

ILLUMINATION DES VILLES DU MONDE



